

55 Maryland Avenue,
Pawtucket, Rhode Island 02860
401-721-2300 Fax: 401-722-1720
equipment@technic.com
www.technic.com

# **Laboratory Anodizing Mini-Plant**



Technic's Laboratory Anodizing Mini-Plant is a compact and complete, manual anodizing line in a small footprint. This modular system has two compartmentalized stations that provide a full anodizing process. One pre-finish module is used for cleaning and surface modification. The second module has an anodizing station and post-treatment for dye and seal. Low volume, batch waste treatment is available with the Moonstone wastewater treatment system by Kontek.

This entry-level system is designed for machine shops and OEM manufacturers interested in having an internal unit with R&D capabilities. Specific anodizing processes may be developed and optimized for application testing. This is a highly engineered, well-built compartmentalized tank system exhibiting quality workmanship for years of service.

# **Application:** Type II Conventional Sulfuric .4 to.7 mil coating.

### **End Users**

- · Machine Shops
- Testing Laboratory
- · OEM Manufacturer
- · Anodize Process R&D
- Custom Finishers

#### **Markets**

- Decorative
- Prototype
- Protection
- Aesthetics
- Functional

## **Technical Specifications**

The Laboratory Anodizing Mini-plant comes fully assembled. All controls are mounted into the cabinet behind the console. The system-matched chiller is specified to maintain constant anodizing temperature. Filtration is included. Each module has an integrated containment pan. The footprint for each module is 72" x 28" x 26". All tank dimensions are 15" x 15" x 15". Partwork window is 8" by 8".

Module 1: Pretreatment- 4 poly tanks 15" x 15" x 15", 2 heaters.

Tank Set - Alkaline Cleaner, Etch, Rinse, Deox

**Module 2:** Anodize and Post-treatment – 4 tanks (3 polypro,

1 SS) 15" x 15" x 15" deep

Tank Set - Anodize, Rinse, Dye, Seal.

#### **Equipment**

SCR Type 100A/24V air-cooled rectifier with adjustable ramp.

Glycol chiller cooling with pump to maintain 70°F anodize bath temperature.

Ventilation boxes integrated into the console and ready for exhaust connection.

Moonstone by Kontek 50-gallon batch waste treatment system.

#### **Upgrade Options**

Hard Coat Rectifier, Base Frame Support, Fluid Transfer Cart.