# TECHNIC, INC. SAFETY DATA SHEET

# **SECTION 1. IDENTIFICATION**

Product Name:PLATINUM POWDER 700Product Code:13-700Recommended use:Conductive filler; for industrial use only.Supplier:Current SDS preparation date:Technic Inc.Current SDS preparation date:1 Spectacle StreetOriginal SDS preparation date:Cranston, RI 02910 USATelephone no:401-781-6100Emergency no:ChemTrec 800-424-9300, Outside the USA and Canada 703-527-3887

# **SECTION 2. HAZARD IDENTIFICATION**

#### **Classification:**

Flammable Solids, Category 1

#### Label elements and precautionary statements:

Signal word: Danger

Pictogram(s):



Hazards not otherwise classified: None

Hazard statement(s): Flammable Solid

#### Precautionary statement(s):

Keep away from heat, sparks, open flames and hot surfaces. No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Wear protective gloves, clothing and eye and face protection. In case of fire: Use water to extinguish.

## SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical name	CAS Number	EINECS Number	Concentration
Platinum (metallic)	7440-06-4	231-116-1	100%

## **SECTION 4. FIRST AID MEASURES**

#### Inhalation:

Remove patient to fresh air. Support breathing if required. Obtain medical treatment for dizziness, unconsciousness or irritation or difficulty in breathing.

#### Skin contact:

Remove contaminated clothing and wash affected area thoroughly with soap and water. Launder clothing before rewearing. Seek medical attention for prolonged skin irritation.

#### Eye contact:

Flush with water, including under lids, for fifteen minutes. Obtain immediate medical attention.

#### Ingestion:

If patient is conscious, rinse particles from mouth with water; do not swallow. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Obtain immediate medical attention.

## **SECTION 5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media:** Use only powder approved for Class D (metal) fires. Cool endangered containers with water spray.

Unsuitable extinguishing media: Do not use water on metal (Class D) fires.

**Specific hazards in case of fire:** Platinum may act as a catalyst to promote the ignition and combustion of organic materials at elevated temperatures.

**Special protective equipment and precaution for fire fighters:** For fires in enclosed areas, wear self-contained breathing apparatus and full protective gear. Do not inhale combustion gases.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures:

Wear appropriate skin, eye and respiratory protection. Do not eat, drink or smoke while cleaning up. Ensure adequate ventilation.

#### Methods and materials for containment and cleaning up:

Wear appropriate personal protective gear including eye, skin and respiratory protection. Contain spilled material and collect by suitable method for platinum recovery. Do not allow this material or its rinsings to enter storm or sanitary sewers or other waterways (see also Section 13).

#### **Environmental precautions:**

Prevent spills and rinsings from entering storm or sanitary sewers or other waterways and contact with soil.

## SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling:

Avoid contact with eyes. Avoid prolonged repeated skin contact and breathing mists or vapors. Use in well-ventilated area. Do not empty waste into sanitary drains.

#### Conditions for safe storage, including incompatibilities:

Store in a cool, dry area. Use with adequate ventilation. Keep container tightly closed when not in use. Store only in the original container.

# SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Exposure Limits:

Ingredient Platinum (metallic) ACGIH TLV 1 mg/m<sup>3</sup> TWA OSHA PEL None listed Other Limits 1 mg/m<sup>3</sup> NIOSH REL

#### Appropriate engineering controls:

Use in well-ventilated area with local exhaust.

#### **Respiratory protection:**

Wear appropriate, approved respirator when ventilation is inadequate to meet exposure limits.

#### Eye protection:

Chemical splash goggles or safety glasses with side shields must be worn.

#### Skin protection:

Wear rubber or neoprene gloves. Wear rubber apron and long sleeves to prevent skin contact. Wash hands thoroughly with soap and water after handling and before eating or smoking.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state: Solid, powder **Color:** Gray Odor: None Odor threshold: Not available **pH:** Not applicable Melting/freezing point: 1772 °C (3320 °F) Initial boiling point: Not determined Flash point: Not applicable **Evaporation rate:** Not applicable Flammability (solid, gas): Not applicable **Upper/lower explosion limits:** Non-explosive Vapor pressure: Not determined Vapor density: Not determined **Relative density (H<sub>2</sub>O = 1) @25 °C:** 21.4 **Solubility:** Insoluble in water at 20°C; soluble in agua regia Partition coefficient octanol/water: Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Not available Viscosity: Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**

**Reactivity:** Stable, non-reactive when stored and used according to recommendations. **Chemical stability:** No decomposition if used according to specifications.

**Possibility of hazardous reactions:** Platinum may catalyze the ignition and oxidation of organic materials.

Conditions to avoid: None reported.

Incompatible materials: Organic materials.

Hazardous decomposition products: None reported.

# SECTION 11. TOXICOLOGICAL INFORMATION

#### **Routes of Exposure and Symptoms**

**Inhalation:** Inhalation of powder can cause mild, non-specific irritation of nasal and respiratory passages.

**Ingestion:** Non-specific symptoms may occur due to presence of particulate material.

Skin Contact: No reported effects.

Eye Contact: Metallic particles will cause mechanical irritation to eye tissue.

#### Acute and Chronic Effects from Short- and Long-term Exposure:

See Routes of Exposure and Symptoms above.

Acute Oral Toxicity: None reported; platinum is non-toxic.

Acute Dermal Toxicity: None reported; platinum is non-toxic.

Acute Inhalation Toxicity: None reported; platinum is non-toxic..

Product Name: PLATINUM POWDER 700 Product Code: 13-700

Acute Eye Irritation: Metal particles cause mechanical irritation to eye tissues.

**Dermal Irritation:** None reported; platinum is non-irritating.

Carcinogen Listings:

IARC: No NTP: No OSHA: No

Reproductive Effects: No applicable information available.

Target Organ Effects: No applicable information available.

## **SECTION 12. ECOLOGICAL INFORMATION**

**Aquatic Toxicity:** There are no data reported for this material.

**Persistence and degradability:** There are no data reported for this material.

**Bio-accumulative potential:** There are no data reported for this material.

**Mobility in soil:** There are no data reported for this material.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### Waste Disposal:

Disposal of this material is subject to user compliance with applicable laws and regulations and consideration of product characteristics at time of disposal.

## **SECTION 14. TRANSPORT INFORMATION**

Not regulated by DOT (road, rail), IMDG (sea) or IATA/ICAO (air)

No

Marine Pollutant:	Metal Powders, Flammable, N.O.S (Contains Platinum)
UN number:	UN3089
Transport hazard Class:	4.1
Packing group:	II

Marine Pollutant:

## **SECTION 15. REGULATORY INFORMATION**

**Inventory Status:** 

All components are on TSCA, EINECS/ELINCS, AICS, and DSL. **U.S. Regulations:** 

#### U.S. Superfund Amendments and Reauthorization Act (SARA) Title III:

#### SARA (311/312) HAZARD CATEGORIES:

\_\_\_None \_\_\_\_Immediate \_\_\_\_Delayed \_\_X \_\_Fire \_\_\_\_Reactive \_\_\_\_Pressure generating

SARA 313: This product contains the following SARA 313 Toxic Release Chemicals.Chemical NameCAS NumberNoneConcentration

The following product components are cited on the lists below:Chemical NameCAS NumberNoneList CitationsCalifornia Proposition 65 List

## **SECTION 16. OTHER INFORMATION**

VOC (Volatile Organic Compounds): None

HMIS Ratings:

Health: 1 Flammability: 2 Reactivity: 0 Personal Protection: C

Prepared by: Allan H. Reed

**SDS Preparation date:** July 20, 2017 **Supersedes previous version:** New SDS.

This SDS contains revisions in the following section(s): 2, 14.

The information contained herein is accurate to the best of our knowledge. Technic Inc. makes no warranty of any kind, express or implied, concerning the safe use of this material in any process or in combination with other substances.

End of Safety Data Sheet